



7940 Memorial Drive Plain City, Ohio 43064 (614) 873-4654

Date: February 26, 2024

Whitehouse, Village Of (606)

Attn: Steve Pilcher

Po Box 2476

Whitehouse, OH 43571

RE: Certificate of Analysis for Project - Public Drinking Water

The following report contains analytical results for samples submitted on the chain of custody dated February 13, 2024.

I have reviewed the validity of the analytical data generated. All data is reported in accordance to our laboratory QA/QC plan. Any exceptions are noted in the Case Narrative or with qualifiers in the report.

If you have any questions or need additional documentation, please contact our Office.

Sincerely,

A handwritten signature in black ink that reads "Cheryl Rex". The signature is written in a cursive style and is positioned above a solid black horizontal line.

Cheryl Rex  
MASI Laboratories  
QA/QC Officer  
cheryl@masilabs.com  
(614) 873-4654



## CERTIFICATE of ANALYSIS

*Microbiological/Inorganic Certification - 877*

*Organic Certification - 4100*

Whitehouse, Village Of  
 Steve Pilcher  
 Po Box 2476  
 Whitehouse, OH 43571

Client #: 606  
 PO Number:  
 Date Received: 2/13/24 11:51  
 Ohio EPA Analyzed Date: 2/26/24 10:38

Sampler Name: Austin Myers  
 Sample Date/Time: 2/12/24 11:05  
 Sample Monitoring Point: DS000  
 Sample Type: SP  
 Sample Tap/Address: Hydrant 6317 Finzel Rd Whitehouse OH 43571

PWSID: OH4801612 Facility ID: DS1  
 Repeat Sample #:  
 Total Chlorine (mg/L):  
 Free Chlorine (mg/L):  
 Combined Chlorine (mg/L):

**Sample ID: 155794**

**Lab Sample # : 4B01640-01 (Potable)**

Analyte	Result	Units	Qual	Reporting Limit	MDL	Date/Time Prepared	Date/Time Analyzed	Analyst	Method
---------	--------	-------	------	-----------------	-----	--------------------	--------------------	---------	--------

**Disinfection Byproducts (DBP)**

<b>Chloroform</b>	<b>18.0</b>	ug/L		0.5	0.07	02/22/24 19:30	02/22/24 19:30	DTS	EPA Method 524.2
<b>Bromoform</b>	<b>1.0</b>	ug/L		0.5	0.1	02/22/24 19:30	02/22/24 19:30	DTS	EPA Method 524.2
<b>Bromodichloromethane</b>	<b>10.6</b>	ug/L		0.5	0.05	02/22/24 19:30	02/22/24 19:30	DTS	EPA Method 524.2
<b>Dibromochloromethane</b>	<b>6.1</b>	ug/L		0.5	0.08	02/22/24 19:30	02/22/24 19:30	DTS	EPA Method 524.2
<b>Total THM</b>	<b>35.7</b>	ug/L		2.0	0.2	02/22/24 19:30	02/22/24 19:30	DTS	EPA Method 524.2

<i>Surrogate: 4-Bromofluorobenzene</i>	<i>90%</i>	<i>70-130</i>	<i>EPA Method 524.2</i>
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>	<i>82%</i>	<i>70-130</i>	<i>EPA Method 524.2</i>



## CERTIFICATE of ANALYSIS

*Microbiological/Inorganic Certification - 877  
Organic Certification - 4100*

Whitehouse, Village Of  
Steve Pilcher  
Po Box 2476  
Whitehouse, OH 43571

Client #: 606  
PO Number:  
Date Received: 2/13/24 11:51  
Ohio EPA Analyzed Date: 2/26/24 10:38

Sampler Name: Austin Myers  
Sample Date/Time: 2/12/24 15:10  
Sample Monitoring Point: DS202  
Sample Type: RT  
Sample Tap/Address: Hydrant 426 8911 Dutch Rd Whitehouse OH 43571

PWSID: OH4801612 Facility ID: DS1  
Repeat Sample #:  
Total Chlorine (mg/L):  
Free Chlorine (mg/L):  
Combined Chlorine (mg/L):

**Sample ID: 204562**

**Lab Sample # : 4B01640-02 (Potable)**

Analyte	Result	Units	Qual	Reporting Limit	MDL	Date/Time Prepared	Date/Time Analyzed	Analyst	Method
---------	--------	-------	------	-----------------	-----	--------------------	--------------------	---------	--------

**Disinfection Byproducts (DBP)**

Monochloroacetic Acid	ND	ug/L		2.0	0.8	02/21/24 10:07	02/21/24 20:17	JRK	EPA Method 552.3
<b>Dichloroacetic Acid</b>	<b>6.2</b>	ug/L		1.0	0.4	02/21/24 10:07	02/21/24 20:17	JRK	EPA Method 552.3
<b>Trichloroacetic Acid</b>	<b>1.4</b>	ug/L		1.0	0.3	02/21/24 10:07	02/21/24 20:17	JRK	EPA Method 552.3
Monobromoacetic Acid	ND	ug/L		1.0	0.5	02/21/24 10:07	02/21/24 20:17	JRK	EPA Method 552.3
<b>Dibromoacetic Acid</b>	<b>1.7</b>	ug/L		1.0	0.5	02/21/24 10:07	02/21/24 20:17	JRK	EPA Method 552.3
<b>HAA 5 Total</b>	<b>9.2</b>	ug/L		6.0	2.4	02/21/24 10:07	02/21/24 20:17	JRK	EPA Method 552.3
<hr style="border-top: 1px dashed #000;"/>									
<i>Surrogate: 2-Bromopropanoic Acid</i>				<i>113%</i>		<i>70-130</i>			<i>EPA Method 552.3</i>
<b>Chloroform</b>	<b>26.5</b>	ug/L		0.5	0.07	02/22/24 19:53	02/22/24 19:53	DTS	EPA Method 524.2
<b>Bromoform</b>	<b>0.5</b>	ug/L		0.5	0.1	02/22/24 19:53	02/22/24 19:53	DTS	EPA Method 524.2
<b>Bromodichloromethane</b>	<b>13.4</b>	ug/L		0.5	0.05	02/22/24 19:53	02/22/24 19:53	DTS	EPA Method 524.2
<b>Dibromochloromethane</b>	<b>5.9</b>	ug/L		0.5	0.08	02/22/24 19:53	02/22/24 19:53	DTS	EPA Method 524.2
<b>Total THM</b>	<b>46.3</b>	ug/L		2.0	0.2	02/22/24 19:53	02/22/24 19:53	DTS	EPA Method 524.2
<hr style="border-top: 1px dashed #000;"/>									
<i>Surrogate: 4-Bromofluorobenzene</i>				<i>93%</i>		<i>70-130</i>			<i>EPA Method 524.2</i>
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>				<i>84%</i>		<i>70-130</i>			<i>EPA Method 524.2</i>

*The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document.  
No duplication of this report is allowed, except in its entirety.*



## CERTIFICATE of ANALYSIS

*Microbiological/Inorganic Certification - 877*  
*Organic Certification - 4100*

Whitehouse, Village Of  
Steve Pilcher  
Po Box 2476  
Whitehouse, OH 43571

Client #: 606  
PO Number:  
Date Received: 2/13/24 11:51  
Ohio EPA Analyzed Date: 2/26/24 10:38

Sampler Name: Austin Myers  
Sample Date/Time: 2/12/24 13:45  
Sample Monitoring Point: DS201  
Sample Type: RT  
Sample Tap/Address: Hydrant 7125 Berkey Southern Rd Whitehouse OH 43571

PWSID: OH4801612 Facility ID: DS1  
Repeat Sample #:  
Total Chlorine (mg/L):  
Free Chlorine (mg/L):  
Combined Chlorine (mg/L):

**Sample ID: 155792**

**Lab Sample # : 4B01640-03 (Potable)**

Analyte	Result	Units	Qual	Reporting Limit	MDL	Date/Time Prepared	Date/Time Analyzed	Analyst	Method
---------	--------	-------	------	-----------------	-----	--------------------	--------------------	---------	--------

**Disinfection Byproducts (DBP)**

Monochloroacetic Acid	ND	ug/L		2.0	0.8	02/21/24 10:07	02/21/24 20:41	JRK	EPA Method 552.3
<b>Dichloroacetic Acid</b>	<b>3.6</b>	ug/L		1.0	0.4	02/21/24 10:07	02/21/24 20:41	JRK	EPA Method 552.3
Trichloroacetic Acid	ND	ug/L		1.0	0.3	02/21/24 10:07	02/21/24 20:41	JRK	EPA Method 552.3
Monobromoacetic Acid	ND	ug/L		1.0	0.5	02/21/24 10:07	02/21/24 20:41	JRK	EPA Method 552.3
<b>Dibromoacetic Acid</b>	<b>1.9</b>	ug/L		1.0	0.5	02/21/24 10:07	02/21/24 20:41	JRK	EPA Method 552.3
<b>HAA 5 Total</b>	<b>5.5</b>	ug/L	<b>J</b>	6.0	2.4	02/21/24 10:07	02/21/24 20:41	JRK	EPA Method 552.3
<i>Surrogate: 2-Bromopropanoic Acid</i>			<i>89%</i>			<i>70-130</i>			<i>EPA Method 552.3</i>
<b>Chloroform</b>	<b>17.5</b>	ug/L		0.5	0.07	02/22/24 20:17	02/22/24 20:17	DTS	EPA Method 524.2
<b>Bromoform</b>	<b>1.4</b>	ug/L		0.5	0.1	02/22/24 20:17	02/22/24 20:17	DTS	EPA Method 524.2
<b>Bromodichloromethane</b>	<b>11.9</b>	ug/L		0.5	0.05	02/22/24 20:17	02/22/24 20:17	DTS	EPA Method 524.2
<b>Dibromochloromethane</b>	<b>7.5</b>	ug/L		0.5	0.08	02/22/24 20:17	02/22/24 20:17	DTS	EPA Method 524.2
<b>Total THM</b>	<b>38.3</b>	ug/L		2.0	0.2	02/22/24 20:17	02/22/24 20:17	DTS	EPA Method 524.2
<i>Surrogate: 4-Bromofluorobenzene</i>			<i>92%</i>			<i>70-130</i>			<i>EPA Method 524.2</i>
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>			<i>84%</i>			<i>70-130</i>			<i>EPA Method 524.2</i>



## CERTIFICATE of ANALYSIS

*Microbiological/Inorganic Certification - 877*

*Organic Certification - 4100*

Whitehouse, Village Of  
 Steve Pilcher  
 Po Box 2476  
 Whitehouse, OH 43571

Client #: 606  
 PO Number:  
 Date Received: 2/13/24 11:51  
 Ohio EPA Analyzed Date: 2/26/24 10:38

Sampler Name: Austin Myers  
 Sample Date/Time: 2/12/24 13:40  
 Sample Monitoring Point: EP001  
 Sample Type: SP  
 Sample Tap/Address: Sink 6010 N Texas St Whitehouse OH 43571

PWSID: OH4801612 Facility ID: 4855849  
 Repeat Sample #:  
 Total Chlorine (mg/L):  
 Free Chlorine (mg/L):  
 Combined Chlorine (mg/L):

**Sample ID: 155790**

**Lab Sample # : 4B01640-04 (Potable)**

Analyte	Result	Units	Qual	Reporting Limit	MDL	Date/Time Prepared	Date/Time Analyzed	Analyst	Method
<b>Disinfection Byproducts (DBP)</b>									
Monochloroacetic Acid	ND	ug/L		2.0	0.8	02/21/24 10:07	02/21/24 21:05	JRK	EPA Method 552.3
<b>Dichloroacetic Acid</b>	<b>6.2</b>	ug/L		1.0	0.4	02/21/24 10:07	02/21/24 21:05	JRK	EPA Method 552.3
<b>Trichloroacetic Acid</b>	<b>1.2</b>	ug/L		1.0	0.3	02/21/24 10:07	02/21/24 21:05	JRK	EPA Method 552.3
Monobromoacetic Acid	ND	ug/L		1.0	0.5	02/21/24 10:07	02/21/24 21:05	JRK	EPA Method 552.3
<b>Dibromoacetic Acid</b>	<b>1.4</b>	ug/L		1.0	0.5	02/21/24 10:07	02/21/24 21:05	JRK	EPA Method 552.3
<b>HAA 5 Total</b>	<b>8.8</b>	ug/L		6.0	2.4	02/21/24 10:07	02/21/24 21:05	JRK	EPA Method 552.3
<hr style="border-top: 1px dashed #000;"/>									
<i>Surrogate: 2-Bromopropanoic Acid</i>				<i>108%</i>		<i>70-130</i>			<i>EPA Method 552.3</i>
<b>Chloroform</b>	<b>30.5</b>	ug/L		0.5	0.07	02/22/24 20:41	02/22/24 20:41	DTS	EPA Method 524.2
<b>Bromoform</b>	<b>0.5</b>	ug/L		0.5	0.1	02/22/24 20:41	02/22/24 20:41	DTS	EPA Method 524.2
<b>Bromodichloromethane</b>	<b>13.6</b>	ug/L		0.5	0.05	02/22/24 20:41	02/22/24 20:41	DTS	EPA Method 524.2
<b>Dibromochloromethane</b>	<b>5.9</b>	ug/L		0.5	0.08	02/22/24 20:41	02/22/24 20:41	DTS	EPA Method 524.2
<b>Total THM</b>	<b>50.5</b>	ug/L		2.0	0.2	02/22/24 20:41	02/22/24 20:41	DTS	EPA Method 524.2
<hr style="border-top: 1px dashed #000;"/>									
<i>Surrogate: 4-Bromofluorobenzene</i>				<i>94%</i>		<i>70-130</i>			<i>EPA Method 524.2</i>
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>				<i>86%</i>		<i>70-130</i>			<i>EPA Method 524.2</i>

*The contents of this report apply to the sample(s) analyzed in accordance with the chain of custody document. No duplication of this report is allowed, except in its entirety.*



## CERTIFICATE of ANALYSIS

*Microbiological/Inorganic Certification - 877*

*Organic Certification - 4100*

Whitehouse, Village Of  
 Steve Pilcher  
 Po Box 2476  
 Whitehouse, OH 43571

Client #: 606  
 PO Number:  
 Date Received: 2/13/24 11:51  
 Ohio EPA Analyzed Date: 2/26/24 10:38

Sampler Name: Austin Myers  
 Sample Date/Time: 2/12/24 11:30  
 Sample Monitoring Point: DS000  
 Sample Type: SP  
 Sample Tap/Address: Hose Bib 6763 Gilead St Whitehouse OH 43571

PWSID: OH4801612 Facility ID: DS1  
 Repeat Sample #:  
 Total Chlorine (mg/L):  
 Free Chlorine (mg/L):  
 Combined Chlorine (mg/L):

**Sample ID: 204560**

**Lab Sample # : 4B01640-05 (Potable)**

Analyte	Result	Units	Qual	Reporting Limit	MDL	Date/Time Prepared	Date/Time Analyzed	Analyst	Method
---------	--------	-------	------	-----------------	-----	--------------------	--------------------	---------	--------

**Disinfection Byproducts (DBP)**

<b>Chloroform</b>	<b>18.5</b>	ug/L		0.5	0.07	02/22/24 21:06	02/22/24 21:06	DTS	EPA Method 524.2
<b>Bromoform</b>	<b>1.1</b>	ug/L		0.5	0.1	02/22/24 21:06	02/22/24 21:06	DTS	EPA Method 524.2
<b>Bromodichloromethane</b>	<b>10.9</b>	ug/L		0.5	0.05	02/22/24 21:06	02/22/24 21:06	DTS	EPA Method 524.2
<b>Dibromochloromethane</b>	<b>6.4</b>	ug/L		0.5	0.08	02/22/24 21:06	02/22/24 21:06	DTS	EPA Method 524.2
<b>Total THM</b>	<b>36.8</b>	ug/L		2.0	0.2	02/22/24 21:06	02/22/24 21:06	DTS	EPA Method 524.2
<hr style="border-top: 1px dashed black;"/>									
<i>Surrogate: 4-Bromofluorobenzene</i>				<i>91%</i>		<i>70-130</i>			<i>EPA Method 524.2</i>
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>				<i>82%</i>		<i>70-130</i>			<i>EPA Method 524.2</i>



## CERTIFICATE of ANALYSIS

*Microbiological/Inorganic Certification - 877*

*Organic Certification - 4100*

Whitehouse, Village Of  
 Steve Pilcher  
 Po Box 2476  
 Whitehouse, OH 43571

Client #: 606  
 PO Number:  
 Date Received: 2/13/24 11:51  
 Ohio EPA Analyzed Date: 2/26/24 10:38

Sampler Name: Austin Myers  
 Sample Date/Time: 2/12/24 13:35  
 Sample Monitoring Point: DS000  
 Sample Type: SP  
 Sample Tap/Address: Hose Bib 8770 Dutch Rd Whitehouse OH 43571

PWSID: OH4801612 Facility ID: DS1  
 Repeat Sample #:  
 Total Chlorine (mg/L):  
 Free Chlorine (mg/L):  
 Combined Chlorine (mg/L):

**Sample ID: 204561**

**Lab Sample # : 4B01640-06 (Potable)**

Analyte	Result	Units	Qual	Reporting Limit	MDL	Date/Time Prepared	Date/Time Analyzed	Analyst	Method
---------	--------	-------	------	-----------------	-----	--------------------	--------------------	---------	--------

**Disinfection Byproducts (DBP)**

<b>Chloroform</b>	<b>26.2</b>	ug/L		0.5	0.07	02/22/24 21:29	02/22/24 21:29	DTS	EPA Method 524.2
<b>Bromoform</b>	<b>0.5</b>	ug/L		0.5	0.1	02/22/24 21:29	02/22/24 21:29	DTS	EPA Method 524.2
<b>Bromodichloromethane</b>	<b>13.4</b>	ug/L		0.5	0.05	02/22/24 21:29	02/22/24 21:29	DTS	EPA Method 524.2
<b>Dibromochloromethane</b>	<b>5.9</b>	ug/L		0.5	0.08	02/22/24 21:29	02/22/24 21:29	DTS	EPA Method 524.2
<b>Total THM</b>	<b>46.0</b>	ug/L		2.0	0.2	02/22/24 21:29	02/22/24 21:29	DTS	EPA Method 524.2

<i>Surrogate: 4-Bromofluorobenzene</i>				90%		70-130			EPA Method 524.2
<i>Surrogate: 1,2-Dichlorobenzene-d4</i>				83%		70-130			EPA Method 524.2



## CERTIFICATE of ANALYSIS

*Microbiological/Inorganic Certification - 877*  
*Organic Certification - 4100*

Whitehouse, Village Of  
Steve Pilcher  
Po Box 2476  
Whitehouse, OH 43571

Client #: 606  
PO Number:  
Date Received: 2/13/24 11:51  
Ohio EPA Analyzed Date: 2/26/24 10:38

### Notes and Definitions

<b>Item</b>	<b>Definition</b>
J	Analyte was positively identified, the associated numerical value is estimated.
mg/kg Dry	Sample results reported on a dry weight basis
ug/L	ppb/Part per Billion
mg/L	ppm/Part per Million
ng/L	ppt/Part per Trillion
ND	Analyte NOT DETECTED at or above the method detection limit (MDL)
!	Analyte is at or above the Maximum Contaminate Level
MDL	Method Detection Limit
CFU	Colony Forming Units
MPN	Most Probable Number
NTU	Nephelometric Turbidity Unit
pCi/L	Picocuries per liter
SVI	Sludge Volume Index
%	Percent
GPD	Gallons per Day
su	Standard Units
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

#### Notes:

1. Calculated analytes are based on raw data and may not reflect the rounding of the individual compounds.
2. Samples are analyzed using the information received on the request sheet and may not be analyzed when the parameters fall outside required guidelines.





7940 Memorial Drive  
Plain City, OH 43064  
614-873-4654

4B01640-01

AR # 155794  
Received: 2/13/2024  
Matrix: Potable

Request Sheet

It Appear on Bottle: 155794  
DS information \*\*

Project Name: \_\_\_\_\_

Client #: 606 Client Name: Village of Whitehouse County: Lucas P.O.# \_\_\_\_\_

Sampler Name: Austin Myers SMP ID: D5000 Sample Type:  Compliance (C)  
 New Well (N)  
 Special/Other (O)

Sample Tap: Hydrant Date Collected: 01-12-24 Time Collected: 11:05  
(MM/DD/YY) (hh:mm(am/pm))

Tap Address: 6317 Finzel Rd. Whitehouse, OH 43571

Public Sample  PWS ID #: 4801612  Facility ID #: D51  Private Sample

Non-Preserved Parameters	Misc. Parameters & Preservatives	SOC Parameter Groups
<input type="checkbox"/> 183 Asbestos	<input type="checkbox"/> 154 VOC (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 900 GROUP 1 Method 525.2
<input type="checkbox"/> 158 Total (Gross) Alpha	<input checked="" type="checkbox"/> 213 TTHM (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 899 GROUP 2 Method 515.3
<input type="checkbox"/> 159 Total (Gross) Beta	<input type="checkbox"/> 375 HAA5 (NH4CL) 552.3	<input type="checkbox"/> 903 GROUP 2 Method 531.1
<input type="checkbox"/> 254 Radium 228	<input type="checkbox"/> 171 Toluene 524.2 or 8260	<input type="checkbox"/> 898 GROUP 3 Method 508
	<input type="checkbox"/> 174 BTEX (Ascorbic Acid/HCL)	<input type="checkbox"/> 904 GROUP 3 Method 547
	<input type="checkbox"/> 317 Lithium	<input type="checkbox"/> 905 GROUP 3 Method 549.2
<input type="checkbox"/> 371 UV254	<input type="checkbox"/> 134 Titanium	<input type="checkbox"/> 900 GROUP 4 Method 525.2
<input type="checkbox"/> 354 DOC	<input type="checkbox"/> 157 Total Organic Halogens	<input type="checkbox"/> 901 GROUP 4 Method 548.1
<input type="checkbox"/> 1080 SUVA	<input type="checkbox"/> 366 Hydrogen Sulfide	<input type="checkbox"/> 701 Alachlor 525.2
	<input type="checkbox"/> 123 Sulfide	<input type="checkbox"/> 702 Atrazine 525.2
<input type="checkbox"/> 166 Bromide		<input type="checkbox"/> 707 Simazine 525.2
<input type="checkbox"/> 34 Chloride	<input type="checkbox"/> 1243 HAB Total Microcystins	<input type="checkbox"/> SOC
<input type="checkbox"/> 1195 Bromide Chloride Ratio		<input type="checkbox"/> SOC
<input type="checkbox"/> 746 2,3,7,8-TCDD (Dioxin)	<input type="checkbox"/> 1258 HAB Cyanobacteria Screening	<input type="checkbox"/> SOC
<input type="checkbox"/> 271 PAH 525.2 or 8270		<input type="checkbox"/> SOC
<input type="checkbox"/> 124 Sulfite		<input type="checkbox"/> SOC
<input type="checkbox"/> Other	Office Use Only: <u>11</u>	
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
		<input checked="" type="checkbox"/> 9050 MASI Use Only

N: \_\_\_\_\_ Total Containers: 1  
S: \_\_\_\_\_  
U: \_\_\_\_\_

Route: 125220  
Office/Lab: CO  
COOLER: JN  
Revised 10-18-22 DN



ENVIRONMENTAL LABORATORIES

7940 Memorial Drive  
Plain City, OH 43064  
614-873-4654

4B01640-02

AR # 204562  
Received: 2/13/2024  
Matrix: Potable

Request Sheet

First Appear on Bottle: 204562

MSDS information \*\*

Project Name: \_\_\_\_\_

Client #: 606 Client Name: Village of Whitehouse County: Lucas P.O.# \_\_\_\_\_

Sampler Name: Austin Myers SMP ID: DS 202 Sample Type:  Compliance (C)  
 New Well (N)  
 Special/Other (O)

Sample Tap: Hydrant # 426 Date Collected: 02-12-24 Time Collected: 6:10 pm  
(MM/DD/YY) (hh:mm am/pm)

Tap Address: 8911 Dutch Rd. Whitehouse, OH. 43571

Public Sample  PWS ID #: 4801612  Facility ID #: DS1  Private Sample

Non-Preserved Parameters	Misc. Parameters & Preservatives	SOC Parameter Groups
<input type="checkbox"/> 183 Asbestos	<input type="checkbox"/> 154 VOC (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 900 GROUP 1 Method 525.2
<input type="checkbox"/> 158 Total (Gross) Alpha	<input checked="" type="checkbox"/> 213 TTHM (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 899 GROUP 2 Method 515.3
<input type="checkbox"/> 159 Total (Gross) Beta	<input checked="" type="checkbox"/> 375 HAA5 (NH4CL) 552.3	<input type="checkbox"/> 903 GROUP 2 Method 531.1
<input type="checkbox"/> 254 Radium 228	<input type="checkbox"/> 171 Toluene 524.2 or 8260	<input type="checkbox"/> 898 GROUP 3 Method 508
	<input type="checkbox"/> 174 BTEX (Ascorbic Acid/HCL)	<input type="checkbox"/> 904 GROUP 3 Method 547
	<input type="checkbox"/> 317 Lithium	<input type="checkbox"/> 905 GROUP 3 Method 549.2
<input type="checkbox"/> 371 UV254	<input type="checkbox"/> 134 Titanium	<input type="checkbox"/> 900 GROUP 4 Method 525.2
<input type="checkbox"/> 354 DOC	<input type="checkbox"/> 157 Total Organic Halogens	<input type="checkbox"/> 901 GROUP 4 Method 548.1
<input type="checkbox"/> 1080 SUVA	<input type="checkbox"/> 366 Hydrogen Sulfide	<input type="checkbox"/> 701 Alachlor 525.2
	<input type="checkbox"/> 123 Sulfide	<input type="checkbox"/> 702 Atrazine 525.2
<input type="checkbox"/> 166 Bromide		<input type="checkbox"/> 707 Simazine 525.2
<input type="checkbox"/> 34 Chloride	<input type="checkbox"/> 1243 HAB Total Microcystins	<input type="checkbox"/> SOC
<input type="checkbox"/> 1195 Bromide Chloride Ratio		<input type="checkbox"/> SOC
<input type="checkbox"/> 746 2,3,7,8-TCDD (Dioxin)	<input type="checkbox"/> 1258 HAB Cyanobacteria Screening	<input type="checkbox"/> SOC
<input type="checkbox"/> 271 PAH 525.2 or 8270		<input type="checkbox"/> SOC
<input type="checkbox"/> 124 Sulfite		<input type="checkbox"/> SOC
<input type="checkbox"/> Other	Office Use Only: _____ _____ _____ _____	
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
		<input type="checkbox"/> 9050 MASI Use Only

N: \_\_\_\_\_ Total Containers: 1  
S: \_\_\_\_\_  
U: \_\_\_\_\_

Route: JLS 220  
Office/Lab: CO  
COOLER / TEMP: 11 C  
Revised 9-18-23 DN

**MASI** <sup>®</sup>  
 ENVIRONMENTAL  
 LABORATORIES  
 7940 Memorial Drive  
 Plain City, OH 43064  
 614-873-4654

Che **4B01640-03**  
 AR # 155792  
 Received: 2/13/2024  
 Matrix: Potable  
 Analysis  
 \*\* See r

st Sheet  
 on Bottle: **155792**  
 mation \*:

Project Name: \_\_\_\_\_

Client #: 606 Client Name: Village of Whitehouse County: Lucas P.O.# \_\_\_\_\_

Sampler Name: Austin Myers SMP ID: DS201 Sample Type:  Compliance (C)  
 New Well (N)  
 Special/Other (O)

Sample Tap: Hydrant Date Collected: 02-12-24 Time Collected: 13:45 p.m.  
(MM/DD/YY) (hh:mm am/pm)

Tap Address: 7125 Berkey Southern Rd. Whitehouse OH. 43571

Public Sample  PWS ID #: 4801612  Facility ID #: DS1  Private Sample

Non-Preserved Parameters	Misc. Parameters & Preservatives	SOC Parameter Groups
<input type="checkbox"/> 183 Asbestos	<input type="checkbox"/> 154 VOC (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 900 GROUP 1 Method 525.2
<input type="checkbox"/> 158 Total (Gross) Alpha	<input checked="" type="checkbox"/> 213 TTHM (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 899 GROUP 2 Method 515.3
<input type="checkbox"/> 159 Total (Gross) Beta	<input checked="" type="checkbox"/> 375 HAA5 (NH4CL) 552.3	<input type="checkbox"/> 903 GROUP 2 Method 531.1
<input type="checkbox"/> 254 Radium 228	<input type="checkbox"/> 171 Toluene 524.2 or 8260	<input type="checkbox"/> 898 GROUP 3 Method 508
	<input type="checkbox"/> 174 BTEX (Ascorbic Acid/HCL)	<input type="checkbox"/> 904 GROUP 3 Method 547
	<input type="checkbox"/> 317 Lithium	<input type="checkbox"/> 905 GROUP 3 Method 549.2
<input type="checkbox"/> 371 UV254	<input type="checkbox"/> 134 Titanium	<input type="checkbox"/> 900 GROUP 4 Method 525.2
<input type="checkbox"/> 354 DOC	<input type="checkbox"/> 157 Total Organic Halogens	<input type="checkbox"/> 901 GROUP 4 Method 548.1
<input type="checkbox"/> 1080 SUVA	<input type="checkbox"/> 366 Hydrogen Sulfide	<input type="checkbox"/> 701 Alachlor 525.2
	<input type="checkbox"/> 123 Sulfide	<input type="checkbox"/> 702 Atrazine 525.2
<input type="checkbox"/> 166 Bromide		<input type="checkbox"/> 707 Simazine 525.2
<input type="checkbox"/> 34 Chloride	<input type="checkbox"/> 1243 HAB Total Microcystins	<input type="checkbox"/> SOC
<input type="checkbox"/> 1195 Bromide Chloride Ratio		<input type="checkbox"/> SOC
<input type="checkbox"/> 746 2,3,7,8-TCDD (Dioxin)	<input type="checkbox"/> 1258 HAB Cyanobacteria Screening	<input type="checkbox"/> SOC
<input type="checkbox"/> 271 PAH 525.2 or 8270		<input type="checkbox"/> SOC
<input type="checkbox"/> 124 Sulfite		<input type="checkbox"/> SOC
<input type="checkbox"/> Other	<div style="border: 1px solid black; padding: 5px;">           Office Use Only: <u>11</u>            _____            _____            _____            _____            _____         </div>	
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
		<input type="checkbox"/> 9050 MASI Use Only

N: \_\_\_\_\_ Total Containers: 1  
 S: \_\_\_\_\_  
 U: \_\_\_\_\_

Route: JL5220  
 Office/Lab: CO  
 COOLER: DN  
 Revised 10-18-22 DN



7940 Memorial Drive  
Plain City, OH 43084  
614-873-4654

Chem  
Analysis Rec  
\*\* See rev

4B01640-04  
AR # 155790  
Received: 2/13/2024  
Matrix: Potable

Sheet  
Bottle: 155790  
ation \*\*

Project Name: \_\_\_\_\_

Client #: 006 Client Name: Village of Whitehouse County: Lucas P.O.# \_\_\_\_\_

Sampler Name: Austin Myers SMP ID: EP001 Sample Type:  Compliance (C)  
 New Well (N)  
 Special/Other (O)

Sample Tap: Sink Date Collected: 2-12-24 Time Collected: 13:40 P.M.  
(MM/DD/YY) (hh:mm:ss AM/PM)

Tap Address: 6010 N. Texas St., Whitehouse, OH 43571

Public Sample  PWS ID #: 4801612  Facility ID #: 4855849  Private Sample  
STU ID#

Non-Preserved Parameters	Misc. Parameters & Preservatives	SOC Parameter Groups
<input type="checkbox"/> 183 Asbestos	<input type="checkbox"/> 154 VOC (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 900 GROUP 1 Method 525.2
<input type="checkbox"/> 158 Total (Gross) Alpha	<input checked="" type="checkbox"/> 213 TTHM (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 899 GROUP 2 Method 515.3
<input type="checkbox"/> 159 Total (Gross) Beta	<input checked="" type="checkbox"/> 375 HAA5 (NH4CL) 552.3	<input type="checkbox"/> 903 GROUP 2 Method 531.1
<input type="checkbox"/> 254 Radium 228	<input type="checkbox"/> 171 Toluene 524.2 or 8260	<input type="checkbox"/> 898 GROUP 3 Method 508
	<input type="checkbox"/> 174 BTEX (Ascorbic Acid/HCL)	<input type="checkbox"/> 904 GROUP 3 Method 547
	<input type="checkbox"/> 317 Lithium	<input type="checkbox"/> 905 GROUP 3 Method 549.2
<input type="checkbox"/> 371 UV254	<input type="checkbox"/> 134 Titanium	<input type="checkbox"/> 900 GROUP 4 Method 525.2
<input type="checkbox"/> 354 DOC	<input type="checkbox"/> 157 Total Organic Halogens	<input type="checkbox"/> 901 GROUP 4 Method 548.1
<input type="checkbox"/> 1080 SUVA	<input type="checkbox"/> 366 Hydrogen Sulfide	<input type="checkbox"/> 701 Alachlor 525.2
	<input type="checkbox"/> 123 Sulfide	<input type="checkbox"/> 702 Atrazine 525.2
<input type="checkbox"/> 166 Bromide		<input type="checkbox"/> 707 Simazine 525.2
<input type="checkbox"/> 34 Chloride	<input type="checkbox"/> 1243 HAB Total Microcystins	<input type="checkbox"/> SOC
<input type="checkbox"/> 1195 Bromide Chloride Ratio		<input type="checkbox"/> SOC
<input type="checkbox"/> 746 2,3,7,8-TCDD (Dioxin)	<input type="checkbox"/> 1258 HAB Cyanobacteria Screening	<input type="checkbox"/> SOC
<input type="checkbox"/> 271 PAH 525.2 or 8270		<input type="checkbox"/> SOC
<input type="checkbox"/> 124 Sulfite		<input type="checkbox"/> SOC
<input type="checkbox"/> Other	Office Use Only: <u>11</u>	
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
		<input type="checkbox"/> 9050 MASI Use Only

N: \_\_\_\_\_ Total Containers: 1  
S: \_\_\_\_\_  
U: \_\_\_\_\_

Route: J25 210  
Office/Lab: Co  
COOLER: DN Revised 10-18-22 DN



7940 Memorial Drive  
Plain City, OH 43084  
614-873-4654

Ch

4B01640-05

est Sheet

Analysi

AR # 204560  
Received: 2/13/2024  
Matrix: Potable

ar on Bottle: 204560

\*\* See

ormation \*

Project Name: \_\_\_\_\_

Client #: 606 Client Name: Village of Whitehouse County: Lucas P.O.# \_\_\_\_\_

Sampler Name: Austin Myers SMP ID: DS000 Sample Type:  Compliance (C)  
 New Well (N)  
 Special/Other (O)

Sample Tap: Hose bib Date Collected: 02-12-24 Time Collected: 11:30  
(MM/DD/YY) (hh:mm:ss/pm)

Tap Address: 6763 Gilead St. Whitehouse, OH 43571

Public Sample  PWS ID #: 4801612  Facility ID #: DS1  Private Sample

Non-Preserved Parameters	Misc. Parameters & Preservatives	SOC Parameter Groups
<input type="checkbox"/> 183 Asbestos	<input type="checkbox"/> 154 VOC (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 900 GROUP 1 Method 525.2
<input type="checkbox"/> 158 Total (Gross) Alpha	<input checked="" type="checkbox"/> 213 TTHM (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 899 GROUP 2 Method 515.3
<input type="checkbox"/> 159 Total (Gross) Beta	<input type="checkbox"/> 375 HAA5 (NH4CL) 552.3	<input type="checkbox"/> 903 GROUP 2 Method 531.1
<input type="checkbox"/> 254 Radium 228	<input type="checkbox"/> 171 Toluene 524.2 or 8260	<input type="checkbox"/> 898 GROUP 3 Method 508
	<input type="checkbox"/> 174 BTEX (Ascorbic Acid/HCL)	<input type="checkbox"/> 904 GROUP 3 Method 547
	<input type="checkbox"/> 317 Lithium	<input type="checkbox"/> 905 GROUP 3 Method 549.2
<input type="checkbox"/> 371 UV254	<input type="checkbox"/> 134 Titanium	<input type="checkbox"/> 900 GROUP 4 Method 525.2
<input type="checkbox"/> 354 DOC	<input type="checkbox"/> 157 Total Organic Halogens	<input type="checkbox"/> 901 GROUP 4 Method 548.1
<input type="checkbox"/> 1080 SUVA	<input type="checkbox"/> 366 Hydrogen Sulfide	<input type="checkbox"/> 701 Alachlor 525.2
	<input type="checkbox"/> 123 Sulfide	<input type="checkbox"/> 702 Atrazine 525.2
<input type="checkbox"/> 166 Bromide		<input type="checkbox"/> 707 Simazine 525.2
<input type="checkbox"/> 34 Chloride	<input type="checkbox"/> 1243 HAB Total Microcystins	<input type="checkbox"/> SOC
<input type="checkbox"/> 1195 Bromide Chloride Ratio		<input type="checkbox"/> SOC
<input type="checkbox"/> 746 2,3,7,8-TCDD (Dioxin)	<input type="checkbox"/> 1258 HAB Cyanobacteria Screening	<input type="checkbox"/> SOC
<input type="checkbox"/> 271 PAH 525.2 or 8270		<input type="checkbox"/> SOC
<input type="checkbox"/> 124 Sulfite		<input type="checkbox"/> SOC
<input type="checkbox"/> Other	Office Use Only: _____ _____ _____ _____ _____	
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
		<input type="checkbox"/> 9050 MASI Use Only

N: \_\_\_\_\_ Total Containers: 1  
S: \_\_\_\_\_  
U: \_\_\_\_\_

Route: DS220  
Office/Lab: CO  
COOLER / TEMP: DN  
Revised 9-18-23 DN



7940 Memorial Drive  
Plain City, OH 43064  
614-873-4654

**4B01640-06**  
AR # 204561  
Received: 2/13/2024  
Matrix: Potable  
C  
Anal  
\*\* S

Request Sheet  
Appear on Bottle: **204561**  
Information \*\*

Project Name: \_\_\_\_\_  
Client #: 606 Client Name: Village of Whitehouse County: Lucas P.O.# \_\_\_\_\_  
Sampler Name: Austin Myers SMP ID: DS006 Sample Type:  Compliance (C)  
 New Well (N)  
 Special/Other (O)  
Sample Tap: hose bib Date Collected: 02-12-24 Time Collected: 13:25 p.m.  
(MM/DD/YY) (hh:mm am/pm)  
Tap Address: 8770 Dutch Rd. Whitehouse, OH. 43571  
 Public Sample  PWS ID #: 4801612  Facility ID #: DS1  Private Sample

Non-Preserved Parameters	Misc. Parameters & Preservatives	SOC Parameter Groups
<input type="checkbox"/> 183 Asbestos	<input type="checkbox"/> 154 VOC (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 900 GROUP 1 Method 525.2
<input type="checkbox"/> 158 Total (Gross) Alpha	<input checked="" type="checkbox"/> 213 TTHM (Ascorbic Acid/HCL) 524.2	<input type="checkbox"/> 899 GROUP 2 Method 515.3
<input type="checkbox"/> 159 Total (Gross) Beta	<input type="checkbox"/> 375 HAA5 (NH4CL) 552.3	<input type="checkbox"/> 903 GROUP 2 Method 531.1
<input type="checkbox"/> 254 Radium 228	<input type="checkbox"/> 171 Toluene 524.2 or 8260	<input type="checkbox"/> 898 GROUP 3 Method 508
	<input type="checkbox"/> 174 BTEX (Ascorbic Acid/HCL)	<input type="checkbox"/> 904 GROUP 3 Method 547
	<input type="checkbox"/> 317 Lithium	<input type="checkbox"/> 905 GROUP 3 Method 549.2
<input type="checkbox"/> 371 UV254	<input type="checkbox"/> 134 Titanium	<input type="checkbox"/> 900 GROUP 4 Method 525.2
<input type="checkbox"/> 354 DOC	<input type="checkbox"/> 157 Total Organic Halogens	<input type="checkbox"/> 901 GROUP 4 Method 548.1
<input type="checkbox"/> 1080 SUVA	<input type="checkbox"/> 366 Hydrogen Sulfide	<input type="checkbox"/> 701 Aalachlor 525.2
	<input type="checkbox"/> 123 Sulfide	<input type="checkbox"/> 702 Atrazine 525.2
<input type="checkbox"/> 166 Bromide		<input type="checkbox"/> 707 Simazine 525.2
<input type="checkbox"/> 34 Chloride	<input type="checkbox"/> 1243 HAB Total Microcystins	<input type="checkbox"/> SOC
<input type="checkbox"/> 1195 Bromide Chloride Ratio		<input type="checkbox"/> SOC
<input type="checkbox"/> 746 2,3,7,8-TCDD (Dioxin)	<input type="checkbox"/> 1258 HAB Cyanobacteria Screening	<input type="checkbox"/> SOC
<input type="checkbox"/> 271 PAH 525.2 or 8270		<input type="checkbox"/> SOC
<input type="checkbox"/> 124 Sulfite		<input type="checkbox"/> SOC
<input type="checkbox"/> Other	Office Use Only: _____ _____ _____ _____ _____	
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
<input type="checkbox"/> Other		
		<input type="checkbox"/> 9050 MASI Use Only

N: \_\_\_\_\_ Total Containers: 1  
S: \_\_\_\_\_  
U: \_\_\_\_\_

Route: JK5220  
Office/Lab: CO  
COOLER / TEMP: 11 c  
DN  
Revised 9-18-23 DN